



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab # 70424440		Report of Analysis		Report Number:	
Account: 43761		COMPOST TECHNOLOGIES LLC COMPOST TECHNOLOGIES LLC 48414 COUNTY RD B CENTER CO 81125		 Robert Ferris Account Manager 402-829-9871	
Date Sampled: Date Received: Sample ID:		2024-02-23 2024-02-27 ALL COMPOST LINES			
				Total content, lbs per ton (as rec'd)	
		Analysis (as rec'd)		Analysis (dry weight)	
NUTRIENTS					
Nitrogen					
Total Nitrogen	%	1.81	2.02	36.2	
Organic Nitrogen	%	1.49	1.66	29.7	
Ammonium Nitrogen	%	0.325	0.363	6.5	
Nitrate Nitrogen	%	< 0.01	----	----	
Major and Secondary Nutrients					
Phosphorus	%	0.74	0.83	14.8	
Phosphorus as P2O5	%	1.69	1.89	33.8	
Potassium	%	2.10	2.35	42.0	
Potassium as K2O	%	2.53	2.83	50.6	
Sulfur	%	1.17	1.31	23.4	
Calcium	%	4.86	5.43	97.2	
Magnesium	%	0.98	1.09	19.6	
Sodium	%	0.650	0.726	13.0	
Micronutrients					
Iron	ppm	19200	21441	38.4	
Manganese	ppm	519	580	1.0	
Boron	ppm	< 100	----	----	
OTHER PROPERTIES					
Moisture	%	10.45			
Total Solids	%	89.55		1791.0	
Organic Matter	%	32.40	36.18	648.0	
Ash	%	57.00	63.65	1140.0	
Total Carbon	%	14.13	15.78		
Chloride	%	0.84	0.94		
pH		7.9			
Conductivity 1:5 (Soluble Salts)	mS/cm	8.02			

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	70424440	Biological & Physical Properties	Report Number:																																																																																																																																																								
Account: 43761	COMPOST TECHNOLOGIES LLC COMPOST TECHNOLOGIES LLC 48414 COUNTY RD B CENTER CO 81125		Robert Ferris Client Service Representative 402-829-9871																																																																																																																																																								
Date Sampled:	2024-02-23		COMPOST ANALYSIS																																																																																																																																																								
Date Received:	2024-02-27																																																																																																																																																										
Sample ID:	ALL COMPOST LINES																																																																																																																																																										
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;"></th> <th style="width: 15%;">Analysis (as rec'd)</th> <th style="width: 15%;">Analysis (dry weight)</th> <th style="width: 10%;">Units</th> <th style="width: 10%;">Detection Limit</th> <th style="width: 15%;">Method</th> </tr> </thead> <tbody> <tr> <td colspan="6">Biological Properties</td> </tr> <tr> <td>Germination</td> <td>100</td> <td></td> <td>%</td> <td>1</td> <td>TMECC 05.05A</td> </tr> <tr> <td>CO₂ OM Evolution</td> <td>2.01</td> <td></td> <td>mgCO₂-C/gOM/day</td> <td>0.01</td> <td>TMECC 05.08B</td> </tr> <tr> <td>CO₂ Solids Evolution</td> <td>1.75</td> <td></td> <td>mgCO₂-C/gTS/day</td> <td>0.01</td> <td>TMECC 05.08B</td> </tr> <tr> <td>Fecal Coliform</td> <td></td> <td>3</td> <td>mpn/g</td> <td>0.2</td> <td>EPA 1681</td> </tr> <tr> <td>Salmonella</td> <td></td> <td>< 1.2</td> <td>mpn/4g</td> <td>1.2</td> <td>TMECC 07.02</td> </tr> <tr> <td>Stability Rating</td> <td>Stable</td> <td></td> <td>N/A</td> <td>N/A</td> <td>TMECC 05.08B</td> </tr> <tr> <td colspan="6">Physical Properties</td> </tr> <tr> <td>Bulk Density (Loose)</td> <td>1399</td> <td></td> <td>lbs/cu yard</td> <td>1</td> <td>WT/VOL</td> </tr> <tr> <td>Bulk Density (Packed)</td> <td>1618</td> <td></td> <td>lbs/cu yard</td> <td>1</td> <td>WT/VOL</td> </tr> <tr> <td>Film Plastics</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.1</td> <td>TMECC 03.08</td> </tr> <tr> <td>Glass Fragments</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.1</td> <td>TMECC 03.08</td> </tr> <tr> <td>Hard Plastics</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.1</td> <td>TMECC 03.08</td> </tr> <tr> <td>Metal Fragment</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.1</td> <td>TMECC 03.08</td> </tr> <tr> <td>Sharps</td> <td>absent</td> <td></td> <td>---</td> <td>0.1</td> <td>TMECC 03.08</td> </tr> <tr> <td>Max. Particle Length</td> <td></td> <td>2.0</td> <td>inches</td> <td>N/A</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 3"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 2"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 1.5"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 1"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 3/4"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 5/8"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 3/8"</td> <td></td> <td>97</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 1/4"</td> <td></td> <td>91</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> </tbody> </table>							Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method	Biological Properties						Germination	100		%	1	TMECC 05.05A	CO ₂ OM Evolution	2.01		mgCO ₂ -C/gOM/day	0.01	TMECC 05.08B	CO ₂ Solids Evolution	1.75		mgCO ₂ -C/gTS/day	0.01	TMECC 05.08B	Fecal Coliform		3	mpn/g	0.2	EPA 1681	Salmonella		< 1.2	mpn/4g	1.2	TMECC 07.02	Stability Rating	Stable		N/A	N/A	TMECC 05.08B	Physical Properties						Bulk Density (Loose)	1399		lbs/cu yard	1	WT/VOL	Bulk Density (Packed)	1618		lbs/cu yard	1	WT/VOL	Film Plastics	n.d.		%	0.1	TMECC 03.08	Glass Fragments	n.d.		%	0.1	TMECC 03.08	Hard Plastics	n.d.		%	0.1	TMECC 03.08	Metal Fragment	n.d.		%	0.1	TMECC 03.08	Sharps	absent		---	0.1	TMECC 03.08	Max. Particle Length		2.0	inches	N/A	TMECC Sieve	Sieve % Passing 3"		100	%	0.01	TMECC Sieve	Sieve % Passing 2"		100	%	0.01	TMECC Sieve	Sieve % Passing 1.5"		100	%	0.01	TMECC Sieve	Sieve % Passing 1"		100	%	0.01	TMECC Sieve	Sieve % Passing 3/4"		100	%	0.01	TMECC Sieve	Sieve % Passing 5/8"		100	%	0.01	TMECC Sieve	Sieve % Passing 3/8"		97	%	0.01	TMECC Sieve	Sieve % Passing 1/4"		91	%	0.01	TMECC Sieve
	Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method																																																																																																																																																						
Biological Properties																																																																																																																																																											
Germination	100		%	1	TMECC 05.05A																																																																																																																																																						
CO ₂ OM Evolution	2.01		mgCO ₂ -C/gOM/day	0.01	TMECC 05.08B																																																																																																																																																						
CO ₂ Solids Evolution	1.75		mgCO ₂ -C/gTS/day	0.01	TMECC 05.08B																																																																																																																																																						
Fecal Coliform		3	mpn/g	0.2	EPA 1681																																																																																																																																																						
Salmonella		< 1.2	mpn/4g	1.2	TMECC 07.02																																																																																																																																																						
Stability Rating	Stable		N/A	N/A	TMECC 05.08B																																																																																																																																																						
Physical Properties																																																																																																																																																											
Bulk Density (Loose)	1399		lbs/cu yard	1	WT/VOL																																																																																																																																																						
Bulk Density (Packed)	1618		lbs/cu yard	1	WT/VOL																																																																																																																																																						
Film Plastics	n.d.		%	0.1	TMECC 03.08																																																																																																																																																						
Glass Fragments	n.d.		%	0.1	TMECC 03.08																																																																																																																																																						
Hard Plastics	n.d.		%	0.1	TMECC 03.08																																																																																																																																																						
Metal Fragment	n.d.		%	0.1	TMECC 03.08																																																																																																																																																						
Sharps	absent		---	0.1	TMECC 03.08																																																																																																																																																						
Max. Particle Length		2.0	inches	N/A	TMECC Sieve																																																																																																																																																						
Sieve % Passing 3"		100	%	0.01	TMECC Sieve																																																																																																																																																						
Sieve % Passing 2"		100	%	0.01	TMECC Sieve																																																																																																																																																						
Sieve % Passing 1.5"		100	%	0.01	TMECC Sieve																																																																																																																																																						
Sieve % Passing 1"		100	%	0.01	TMECC Sieve																																																																																																																																																						
Sieve % Passing 3/4"		100	%	0.01	TMECC Sieve																																																																																																																																																						
Sieve % Passing 5/8"		100	%	0.01	TMECC Sieve																																																																																																																																																						
Sieve % Passing 3/8"		97	%	0.01	TMECC Sieve																																																																																																																																																						
Sieve % Passing 1/4"		91	%	0.01	TMECC Sieve																																																																																																																																																						

Compost Results Interpretations
Page 1

Report #: 0
DATE RECEIVED: 2024-02-27

Organic Matter %

32.40 As Received
36.18 Dry Weight

Greater than 20% indicates a desirable range for compost on a dry weight basis.

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N Ratio

7.8:1

20-30 indicates an ideal range for the initial compost process.
10-20 indicates an ideal range for a finished compost.

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moisture %

10.45

<35% = Indicates overly dry compost

>55% = Indicates overly wet compost

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations
Page 2

Report #: 0
DATE RECEIVED: 2024-02-27

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5	8.0
Conductivity Level	Interpretation
Greater than 10	Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status; plants may show deficiencies.

Compost Results Interpretations

Page 3

Report #: 0
DATE RECEIVED: 2024-02-27

pH Value

7.9

0 to 14 scale with 6 to 8 as normal pH levels for compost

A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

Nutrient Index (Ag Index)

4.0

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

AG INDEX CHART										
salt injury possible		use on soils with excellent drainage characteristics, good water quality and low salts			you may use on soils with poor drainage, poor water quality, or high salts		for all soils			
1	2	3	4	5	6	7	8	9	10	> 10

Nutrients (N+P2O5+K2O)

6.73

Average Nutrient Content Dry Weight

<2 = Low, >5 = High

2-1.5-2.5

Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have an average nutrient level (N+P+K) of < 5%.



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770
www.midwestlabs.com

COMPOST TECHNOLOGIES LLC
COMPOST TECHNOLOGIES LLC
48414 COUNTY RD B
CENTER CO 81125

REPORT OF ANALYSIS
For: (43761) COMPOST TECHNOLOGIES LLC
COMPOST ANALYSIS

Analysis	Level Found		Units	Reporting		Analyst- Date	Verified- Date
	As Received	Dry Weight		Limit	Method		

Sample ID: **ALL COMPOST LINES** Lab Number: **704224440** Date Sampled: **2024-02-23 1300**

Cadmium (total)	< 1.0	< 1.00	mg/kg	1.0	EPA 6010	erw9-2024/03/01	th1-2024/03/04
Chromium (total)	12.9	14.4	mg/kg	1.00	EPA 6010	erw9-2024/03/01	th1-2024/03/04
Mercury (total)	< 0.05	< 0.05	mg/kg	0.05	EPA 7471	Mab7-2024/03/04	th1-2024/03/04
Lead (total)	9.0	10.0	mg/kg	5.0	EPA 6010	erw9-2024/03/01	th1-2024/03/04
Molybdenum (total)	3.1	3.5	mg/kg	1.0	EPA 6010	erw9-2024/03/01	th1-2024/03/04
Nickel (total)	13.0	14.5	mg/kg	1.0	EPA 6010	erw9-2024/03/01	th1-2024/03/04
Selenium (total)	< 10.0	< 10.0	mg/kg	10.0	EPA 6010	erw9-2024/03/01	th1-2024/03/04
Zinc (total)	198.3	221.4	mg/kg	2.0	EPA 6010	erw9-2024/03/01	th1-2024/03/04
Copper (total)	44.5	49.7	mg/kg	1	EPA 6010	erw9-2024/03/01	th1-2024/03/04
Arsenic (total)	10.7	12.0	mg/kg	0.5	EPA 6020	jdg9-2024/03/01	th1-2024/03/04
Cobalt (total)	4.92	5.50	mg/kg	1.00	EPA 6010	erw9-2024/03/01	th1-2024/03/04
E. coli (generic)	< 3.0		MPN/g	3.0	FDA BAM Chapter 4	Jhv0-2024/02/29	sn17-2024/02/29

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the results, or the results, or other public announcements without obtaining our prior written authorization.

Partial

REPORT DATE

SEND TO
43761

RECEIVED DATE
Feb 27, 2024



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770
www.midwestlabs.com

ISSUE DATE
Mar 12, 2024

**COMPOST TECHNOLOGIES LLC
COMPOST TECHNOLOGIES LLC
48414 COUNTY RD B
CENTER CO 81125**

REPORT OF ANALYSIS
For: (43761) COMPOST TECHNOLOGIES LLC
COMPOST ANALYSIS

Analysis	Level Found	As Received	Dry Weight	Units	Reporting Limit	Method	Analyst-Date	Verified-Date
----------	-------------	-------------	------------	-------	-----------------	--------	--------------	---------------

EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.

This is a partial report. Results are preliminary and may not have been properly reviewed.
*** = Analysis in Progress. MPN = most probable number , ppm = parts per million, ppm = mg/kg, ppm = mg/L

For questions please contact:

Rob Ferris
Account Manager
rferris@midwestlabs.com (402)829-9871

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the results, or the results, or other public announcements without obtaining our prior written authorization.